

**2003 Chevrolet Express Passenger
CG33706 3500 155" WB RWD**

No Picture Available for this vehicle

VEHICLE SUMMARY

Effective Date: 7/22/02

**SELECTED OPTIONS
CODE DESCRIPTION**

ZW9	BODY, STANDARD
C6Y	GVWR, 9600 lbs. (4354 kg) (STD)
VCL	FEDERAL CLEAN FUEL FLEET EMISSIONS *VCL must be ordered to receive the LEV California emission compliance certification. If VCL is not ordered the vehicle will be produced w/FE9 Federal requirement & will not be LEV certified*
LQ4	ENGINE, VORTEC 6000 V8 SFI (300 HP [223.8 kW] @ 4400 rpm, 360 lb.-ft. [486.6 N-m] @ 4000 rpm) (STD)
MT1	TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED w/overdrive, tow/haul mode & external transmission oil cooler (STD)
___	NO LOCKING DIFFERENTIAL
GT4	REAR AXLE, 3.73 RATIO (STD)
1SA	BASE PREFERRED EQUIPMENT GROUP -inc: base vehicle only
XHH	TIRES, FRONT LT245/75R16E, ALL-SEASON, BLACKWALL (STD)
YHH	TIRES, REAR LT245/75R16E, ALL-SEASON, BLACKWALL (STD)
ZHH	TIRES, SPARE LT245/75R16E, ALL-SEASON, BLACKWALL (STD)
ZIP3	SEATING, 15-PASSENGER
AR7	SEATS, FRONT VINYL RECLINING BUCKETS (REQ: 1SA Base Preferred Equipment Group) -inc: head restraints (STD)
__W	CUSTOM VINYL (REQ: AR7 Seats) (STD)
ZY1	SOLID PAINT (STD)
UM7	SOUND SYSTEM, ETR AM/FM STEREO -inc: seek-and-scan and digital clock (STD)
___	WHEELS, GRAY PAINTED (REQ: 1SA Base Preferred Equipment Group) (STD) -inc: gray center caps & steel spare

ALTERNATIVE FUEL VEHICLES (AFV), PASSENGER VAN, DED/BI-FUEL CNG - T2095
SECTION 6 (PRICE LINE 6) CONTRACT PRICE: \$24,534.00
CONTRACT: A53311 CONTRACTOR: HERTRICH FLEET SERVICES

CODE DESCRIPTION

KL5 ALTERNATIVE FUEL CONVERSIONS, CONVERSION-READY ENGINE (REQ: KL6 or KL8 Alternative Fuel Conversions) -inc: internal modifications for operation w/natural or propane gas

KL6 ALTERNATIVE FUEL CONVERSIONS, BI-FUEL COMPRESSED NATURAL GAS (CNG) SYSTEM (complete vehicle & system ready) *Deletes spare tire & wheel, spare tire hoist, jack & tools* -inc: [KL5] alternative fuel conversions, conversion-ready engine, CNG tanks & fuel system)

Color Selections

	Description	Code
Exterior#1	Light Pewter Metallic	11
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Light Pewter Metallic	11
Exterior#2		
Interior	Medium Dark Pewter	93
	Description	Code
Exterior#1	Indigo Blue Metallic	39
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Indigo Blue Metallic	39
Exterior#2		
Interior	Medium Dark Pewter	93
	Description	Code
Exterior#1	Black	41
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Black	41
Exterior#2		
Interior	Medium Dark Pewter	93
	Description	Code
Exterior#1	Dark Green Metallic	47
Exterior#2		
Interior	Neutral	52

CODE DESCRIPTION

	Description	Code
Exterior#1	Dark Green Metallic	47
Exterior#2		
Interior	Medium Dark Pewter	93
	Description	Code
Exterior#1	Summit White	50
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Summit White	50
Exterior#2		
Interior	Medium Dark Pewter	93
	Description	Code
Exterior#1	Sandalwood Metallic	58
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Dark Gray Metallic	62
Exterior#2		
Interior	Medium Dark Pewter	93
	Description	Code
Exterior#1	Victory Red	74
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Victory Red	74
Exterior#2		
Interior	Medium Dark Pewter	93
	Description	Code
Exterior#1	Berry Red Metallic	87
Exterior#2		
Interior	Neutral	52
	Description	Code
Exterior#1	Berry Red Metallic	87

CODE DESCRIPTION

Exterior#2
Interior Medium Dark Pewter 93

STANDARD EQUIPMENT**MECHANICAL**

Engine, Vortec 6000 V8 SFI (300 HP [223.8 kW] @ 4400 rpm, 360 lb.-ft. [486.6 N-m] @ 4000 rpm)

Transmission, 4-speed automatic, heavy-duty, electronically controlled w/ overdrive, tow/haul mode & external transmission oil cooler

Rear axle, 3.73 ratio

Rear-wheel drive

Battery, 600 cold-cranking amps-inc: rundown protection & retained accessory power

Alternator, 145 amps

Suspension, front, independent coil springs, & stabilizer bar

Suspension, rear, hypoid drive axle w/multi-leaf springs

GVWR, 9600 lbs. (4354 kg)

Tires, front LT245/75R16E, all-season, blackwall

Tires, rear LT245/75R16E, all-season, blackwall

Tires, spare LT245/75R16E, all-season, blackwall

Wheels, gray painted-inc: gray center caps & steel spare

Steering, power

Brakes, 4-wheel antilock, 4-wheel disc

Exhaust, aluminized stainless-steel muffler & tailpipe

EXTERIOR

Bumper, front, painted black

Grille, black composite

Headlamps, single rectangular halogen

Mirrors, outside rearview, foldaway, manual, black, adjustable heads

Glass, Solar-Ray light tinted, all windows

Glass, rear side door, swing-out

Wipers, intermittent, front wet-arm w/pulse washers

Door, swing-out passenger side, 60/40 split

INTERIOR

Seats, front vinyl reclining buckets-inc: head restraints

Seating, 12-passenger

Cupholders, 3, on engine console cover

Power outlet, auxiliary, 2 covered, on engine console cover, 12-volt

Floor covering, embossed black rubberized vinyl full width floormat over floor area & front wheelhousing

Steering wheel, steel sleeve-inc: theft-deterrent locking feature, black

INTERIOR

Instrumentation, analog-inc: speedometer, odometer w/trip odometer, fuel level, voltmeter, engine temperature & oil pressure

Theft-deterrent system, PASSLock

Air conditioning, front manual

Air conditioning, rear

Defogger, side window

Sound system, ETR AM/FM stereo-inc: seek-and-scan & digital clock

Headliner, cloth, w/matching retainer moldings

Visors, padded, driver & passenger side w/vinyl trim

Lighting, 3 dome lamps-inc: defeat switch & door handle-activated switches

SAFETY

Brakes, 4-wheel antilock, 4-wheel disc

Air bags, frontal, driver & right front passenger

Daytime running lights

Brake/transmission shift interlock, automatic transmission

Child seat anchor, located on all rear 3-passenger bench seating positions

COLOR CHART

	Interior Colors	
	Neutral	Medium Dark Pewter
Exterior Colors		
Light Pewter Metallic	X	X
Indigo Blue Metallic	X	X
Black	X	X
Dark Green Metallic	X	X
Summit White	X	X
Sandalwood Metallic	X	
Dark Gray Metallic		X
Victory Red	X	X
Berry Red Metallic	X	X

WARRANTY

<<< PRELIMINARY 2003 WARRANTY >>>

Basic: 3 Years/36,000 Miles

Drivetrain: 3 Years/36,000 Miles

Corrosion: 6 Years/100,000 Miles

Roadside Assistance: 3 Years/36,000 Miles

POWERTRAIN - BASIC SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

ALTERNATIVE FUEL VEHICLES (AFV), PASSENGER VAN, DED/BI-FUEL CNG - T2095
 SECTION 6 (PRICE LINE 6) CONTRACT PRICE: \$24,534.00
 CONTRACT: A53311 CONTRACTOR: HERTRICH FLEET SERVICES

ENGINE

Engine Order Code	(LQ4)
Engine Type	* Bi-Fuel
Displacement	6.0L/364 CID
Fuel System	(MFI)
SAE Net Horsepower @ RPM	300 @ 4400
SAE Net Torque @ RPM	360 @ 4000

TRANSMISSION

Trans Order Code	(MT1)
Trans Type	4-Speed HD Automatic w/OD
Drivetrain	Rear Wheel Drive

MILEAGE

	City	Hwy
EPA Fuel Economy Est (MPG)	- TBD -	- TBD -
Cruising Range (mi)	* - TBD -	* - TBD -

POWERTRAIN - ADVANCED SPECIFICATIONS**TRANSMISSION**

Gear Ratio (:1)	
First Gear Ratio (:1)	2.48
Second Gear Ratio (:1)	1.48
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.75
Reverse Ratio (:1)	2.07
Clutch Size (in)	
Trans Power Take Off	N/A

TRANSFER CASE

Transfer Case Model	
Gear Ratio (:1)	
Transfer Case Gear Ratio (:1), High	
Transfer Case Gear Ratio (:1), Low	
Transfer Case Power Take Off	

DIFFERENTIAL

	Front	Rear
Final Drive Axle Ratio (:1)		3.73

ELECTRICAL

Battery	1	2
Maximum Capacity @ 0° F	600.00	
Alternator		
Maximum Alternator Capacity (amps)	105.00	

COOLING SYSTEM

Total Cooling System Capacity (qts)	- TBD -
-------------------------------------	---------

COOLING SYSTEM

Engine Oil Cooler

- TBD -

PAYLOAD/TRAILERING SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

WEIGHT INFORMATION

	Front	Rear
Gross Axle Weight Rating (lbs)	4,300.00	6,084.00
Curb Weight (lbs)	- TBD -	- TBD -
Total Option Weight (lbs)	0.00	0.00
Reserve Axle Capacity (lbs)		
Gross Vehicle Weight Rating (lbs)		
As Spec'd Curb Weight (lbs)		
As Spec'd Payload (lbs)		
Gross Combined Wt Rating (lbs)		

TRAILERING**Max Trailer Wt.****Max Tongue Load**

Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	* 6,000.00	* 600.00
Fifth Wheel Hitch (lbs)	N/A	N/A

DIMENSION SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

EXTERIOR DIMENSIONS

Wheelbase (in)	155.00
Width, Max w/o mirrors (in)	79.40
Height, Overall (in)	82.00
Overhang	
Overhang, Front (in)	- TBD -
Overhang, Rear w/o bumper (in)	
Ground to Top of Load Floor (in)	27.30
Ground Clearance	
Ground Clearance, Front (in)	8.70
Ground Clearance, Rear (in)	8.50
Rear Door	
Side Door	

CARGO AREA DIMENSIONS

Length @ Floor
Width

CARGO AREA DIMENSIONS

Cargo Box Width @ Wheelhousings (in)	50.80
Cargo Box (Area) Height (in)	58.30
Cargo Volume	

INTERIOR DIMENSIONS

Passenger Capacity	* 15.00		
Seating Position	Front	Second	Third
Head Room (in)	40.20	38.50	
Leg Room (in)	41.20	34.80	
Shoulder Room (in)	68.80	68.90	
Hip Room (in)	65.50	66.00	
Seating Position	Fourth	Fifth	

CHASSIS SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

SUSPENSION

Spring		
Spring Type	Coil springs	2-Stage multi-leaf
Spring Capacity (lbs)	4,300.00	6,084.00
Axle		
Axle Type	Independent	Full-Floating
Axle Capacity (lbs)	4,300.00	6,084.00
Shock Absorber Diameter (mm)	- TBD -	- TBD -
Stabilizer Bar Diameter (in)	1.38	

BRAKES

Brake Type	Pwr	
Brake ABS System	4-Wheel	
	Front	Rear
Disc	Yes	Yes
Rotor Diam x Thickness (in)	12.8 x 1.5	13 x 1.14

TIRES

	Front	Rear	Spare
Tire Order Code	XHH	YHH	ZHH
Tire Size	LT245/75R16	LT245/75R16	LT245/75R16
Capacity (lbs)	2,205.00	3,042.00	- TBD -
Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -

WHEELS

	Front	Rear	Spare
Wheel Size (in)	16 x - TBD -	16 x - TBD -	16 x - TBD -
Wheel Type	Steel	Steel	Steel

STEERING

Steering Type	Pwr
---------------	-----

STEERING

Ratio (:1)

Steering Ratio (:1), On Center - TBD -

Steering Ratio (:1), At Lock - TBD -

Turning Diameter (ft)

Turning Diameter - Curb to Curb (ft) - TBD -

Turning Diameter - Wall to Wall (ft) - TBD -

FUEL TANK**Main****Auxiliary**

Fuel Tank Capacity, Approx (gal) 31.00

* 9.30

Fuel Tank Location Mid Inboard Rail

ALTERNATIVE FUEL VEHICLES (AFV), PASSENGER VAN, DED/BI-FUEL CNG - T2095	
SECTION 6 (PRICE LINE 6)	CONTRACT PRICE: \$24,534.00
CONTRACT: A53311	CONTRACTOR: HERTRICH FLEET SERVICES